

## PUBLICATIONS

Serrano L., Diez J., Avila J., Maccioni R.

"Controlled proteolysis of tubulin with subtilisin: Structural and functional consequences".  
J.submicrosc.Cytol. 16(1),55-56. (1984). KEY: A

Serrano L., Avila J., Maccioni R.

"Limited proteolysis of tubulin and the binding site for colchicine".  
J.Biol.Chem. 259,6607-6611. (1984). KEY: A

Serrano L., Avila J., Maccioni R.

"Controlled proteolysis of tubulin by subtilisin: Localization of the binding site for MAP2".  
Biochemistry 23, 4675-4681. (1984). KEY: A

Serrano L., De la Torre J., Maccioni R., Avila J.

"Involvement of the carboxy-terminal domain of tubulin in the regulation of its assembly".  
Proc.Nat.Acad.Sci.U.S.A 81,5989-5993. (1984). KEY: A

Maccioni R., Serrano L., Avila J.

"Structural and functional domains of tubulin".  
Bioessays 2,156-159. (1985). KEY: A

Serrano L., Avila J.

"the interactions of tubulin subunits in the tubulin dimer".  
Biochemical J. 230,551-556. (1985).

Serrano L., Wandosell F., De la Torre J., Avila J.

"Proteolytical modifications of tubulin".  
Methods in Enzimology 134(1986). KEY: A

Serrano L., Wandosell F., Diez J., Avila J.

"The combined use of limited proteolysis and differential peptide staining for protein characterization".  
J.Biochem.Biophys.Methods. 12, 281-283. (1986). KEY: A

Serrano L., Montejo E., Hernandez M.A., Avila J.

"Localization of the binding site for Tau protein".  
Eur. J. of Biochem. 135,595-600. (1985). KEY: A

Wandosell F., Serrano L., Avila J.

"Calcium binding protein of D.melanogaster which activates AMPc phosphodiesterase: comparison with brain porcine calmodulin".  
Arch. Biochem.Biophys.Methods. 247,147-154. (1985). KEY: A

Serrano L., De la Torre J., Maccioni R., Avila J.

"The role of the carboxy-terminal region of tubulin in the regulation of its self-assembly". Annals of the New York Academy of Sciences. 466,642-644. (1986). KEY: A

Wandosell F., Serrano L., Hernandez M.A., Avila J.

"Phosphorylation of tubulin by a calmodulin dependent kinase".  
J.Biol.Chem. 261,10332-10334. (1986). KEY: A

Maccioni R., Serrano L., Avila J., Cann R.

"Characterization and structural aspects of the enhanced assembly of tubulin after removal of its C-terminal domain".

Eur.J.Biochem. 56,375-381. (1986). KEY: A

Serrano L.,Valencia A., Caballero R.,Avila J.  
"Localization of the high affinity calcium binding site on tubulin molecule."  
J.Biol.Chem. 261,7076-7081. (1986). KEY: A

Wandosell F., Villanueva N., Serrano L., Avila J.  
"Analysis of drug-tubulin interaction by trypsin cleavage: Comparison for colchicine,  
podophyllotoxin,vinblastine, and taxol".  
Comp.Biochem. and Physiol. 85,3,635-638. (1986). KEY: A

Serrano L.,De la Torre J., Luduena R.F Avila J.  
"The removal of the carboxy-terminal region of tubulin favours its vinblastine induced aggregation".  
Arch.Biophys.Bioch. 49,611-615. (1986). KEY: A

Avila J.,Serrano L., Maccioni R.  
"Regulation of the colchicine binding to tubulin".  
Mol.Cell. Biochem. 73,29-36. (1986). KEY: A

Serrano L.,Wandosell F., Avila J.  
"Location of the regions recognized by five commercial antibodies on the tubulin molecule".  
Anal.Biochemistry. 159. (1986). KEY: A

Montejo de Garcini E., Serrano L., Avila J.  
"Self assembly of microtubule associated protein Tau into filaments ressembling these found in alzheimer  
disease".  
B.B.R.C. 141, 790-796. 29 (1986). KEY: A

Serrano, L., Diaz-Nido, J., Wandosell, F. & Avila, J.  
"Phosphorylation of tubulin by casein-quinase II its similar to that found "in vivo".  
J. Cell Biology. 105, 1731-1739. (1987). KEY: A

Avila J., Serrano L., Diaz-nido J., Wandosell F., Hernandez M.A.  
"Regulation of the polymerization of tubulin".  
J.Muscle Research. 9(1) 95. (1988). KEY: A

Serrano L., Wandosell F., De la Torre J., Avila J.  
"Effect of specific proteolytic cleavages on tubulin polymer formation".  
Biochem J. 252,683-691. (1988). KEY: A

Serrano L., Dominguez J., Avila J. (1988).  
"Zinc binding proteins detected on nitrocellulose paper; Zinc binds to the amino-terminal of tubulin".  
Anal.Biochemistry. 172, ,210-218. KEY: A

Diaz-Nido, J., Serrano, L., Mendez, E. & Avila, J.  
"A casein-kinase II like activity its involved in phosphorylation of microtubule associated protein MAP1,  
during neuroblastome cell differentiation."  
J. Cell Biol.,106, 2057-2065 (1988). KEY: A

Serrano L., Diaz-Nido J., Hernandez M.A., Avila J.  
"Association of casein-kinase II to microtubules".  
Experimental cell research. 181, 263-272. (1989). KEY: A

Serrano, L. , Diez, J., Wandosell, F. ,Avila, J. & Little, M.

"Calcium binding properties of the  $\beta$ -tubulin subunit from chicken erythrocytes."  
Biochemistry. Int. 19, 235-246. (1989). KEY: A

Diaz-nido J., Serrano L., Lopez-Otin, C., Vandekerkove J., Avila J  
"Localization of the main phosphorylation site in brain tubulin".  
J. Biol. Chem. 265, 13949-13954. (1990). KEY: A

Diaz-nido J., Serrano L., Hernandez M.A, Avila J.  
"Phosphorylation of microtubule protein in rat brain of different development stages. Comparison with that found in neuronal cultures".  
J. Neuroscience. 54, 211-222. (1989). KEY: A

Diaz-nido J., Serrano L., Avila J.  
"Differential phosphorylation of microtubule proteins by ATP and GTP".  
Mol. Cell. Biochem. 79, 73-79. (1988). KEY: A

Valencia A., Serrano L., Caballero R., Anderson S.P., Lacal J.C.  
"Conformational alterations detected by circular dichroism, induced in the normal ras p21 by activating point mutations at positions 12,59 or 61".  
Eur. J. of Biochem. (1989). KEY: A

Matouschek A., Kellis J.T., Serrano L., Fersht A.R.  
"Mapping the transition state and pathway of protein folding by protein engineering".  
Nature 340, 122-126. (1989). KEY: A

Serrano L., Fersht A.R.  
"Capping and  $\beta$ -helix stability".  
Nature 342, 296-299 (1989). KEY: A

Serrano L., Horovitz A., Avron B., Bycroft M., Fersht A.R.  
"Measurement of the effects of surface electrostatic interactions on enzyme stability using protein engineering and double-mutant cycles".  
Biochemistry .29, 9343-9352. (1990). KEY: A

Matouschek A., Kellis J.T., Serrano L., Bycroft M., Fersht A.R.  
"Transient folding intermediates characterised by protein engineering"  
Nature 346, 440-445. (1990).

Bycroft M., Matouschek A., Kellis J., Serrano L., Fersht A.R  
"Detection and characterization of a folding intermediate in barnase by NMR".  
Nature 340, 488-490. (1990). KEY: A

Serrano L., Bycroft M., Fersht A.R.  
"Aromatic-aromatic interactions and protein stability: Investigation by double-mutant cycles".  
J. Mol. Biol. 218, 465-475. (1991). KEY: A

Horovitz A., Serrano L., Avron B., Bycroft M., Fersht A.R.  
"Strength and Co-operativity of Contributions of Surface Salt Bridges to Protein Stability".  
J. Mol. Biol. 216, 1031-1044. (1990). KEY: A

Horovitz A., Serrano L., Fersht A.R.  
COSMIC analysis of the major  $\beta$ -helix of barnase during folding".  
J. Mol. Biol. 219, 5-9. (1991). KEY: A

Fersht A.R., Bycroft M., Horovitz A., Kellis J., Matouschek A. & Serrano L.

Phil. Trans. R. Soc. Lond. B. 332, 171-176. (1991). KEY: A

Sancho J., Serrano L & Fersht A.  
"Histidine residues at the N- and C-termini of  $\alpha$ -helices: perturbed pKas and protein stability".  
Biochemistry. 31, 2253-2258. (1992). KEY: A

Fersht A.R. Serrano L. & Matouschek, A.R.  
"The Folding of an Enzyme I".  
J. Mol. Biol. 224,771-782. (1992). KEY: A

Serrano, L., Kellis, J., Cann, P., Matouschek, A. & Fersht, A.R.  
"The Folding of an Enzyme II".  
J. Mol. Biol. 224,783-804. (1992). KEY: A

Serrano, L., Matouschek, A. & Fersht, A.R.  
"The Folding of an Enzyme III".  
J. Mol. Biol. 224,805-818. (1992). KEY: A

Matouschek, A. Serrano, L. & Fersht, A.R.  
"The Folding of an Enzyme IV".  
J. Mol. Biol. 224,819-835. (1992). KEY: A

Matouschek, A.R., Bycroft, M., Meiering, E., Serrano, L. & Fersht, A.R.  
"The Folding of an Enzyme V".  
J. Mol. Biol. 224,837-845. (1992). KEY: A

Serrano, L., Matouschek, A. & Fersht, A.R.  
"The Folding of an Enzyme VI".  
J. Mol. Biol. 224,847-859. (1992). KEY: A

Serrano, L., Neira, J.L., Sancho, J. & Fersht, A.R.  
"Effect of Ala versus Gly  $\alpha$ -helices on protein stability".  
Nature, 356. (1992). KEY: A

Meiering, E., Serrano, L. & Fersht, A.R.  
Effect of active site residues in barnase on activity and stability.  
J. Mol. Biol. 225, 585-589. (1991). KEY: A

Serrano, L., Sancho, J., Hirshberg, M. & Fersht, A.R.  
 $\alpha$ -Helix Stability in Proteins. I. Empirical Correlations Concerning Substitutions of Side-Chains at the N- and C-caps and the Replacement of Alanine by Glicine or Serine at Solvent-exposed Surfaces.  
J. Mol. Biol. 227, 544-559. (1992). KEY: A

Serrano, L. & Fersht, A.R.  
Principles of protein stability from protein engineering experiments.  
Current Opinion in Structural Biology. 3, 75-83. (1993). KEY: A

Serrano, L., Day, T. & Fersht, A.R.  
The step-wise mutation of barnase to binase and a procedure for engineering increased stability of proteins: An experimental analysis of the evolution of protein stability.  
J. Mol. Biol. 233. 305-312. (1993). KEY: A

Bruix, M., Pascual, J., Santoro, J., Prieto, J., Serrano, L. & Rico, M.  
1H and 15N NMR assignement and solution structure of the chemotactic E. coli CHEY protein. Eur. J. Biochem. 215, 573-585. (1993). KEY: A

Serrano, L.

Protein engineering and the dissection of protein folding pathways.  
Curr. Opin in Structural Biology. 3, 75-83. (1994). KEY: A

Filimonov, V.V., Prieto, J., Mateo, P.L. & Serrano, L.

Thermodynamic analysis of the chemotactic protein from E. coli, CheY".  
Biochemistry, 32, 12906-12921. (1993). KEY: A

Viguera, A.R., Martinez, J.C., Filimonov, V., Mateo, P. & Serrano, L.

Thermodynamic and kinetic analysis of the SH3 domain of spectrin.  
Biochemistry 33, 2142-2150. (1994). KEY: A

Bellsollell, L., Prieto, J., Serrano, L. & Coll, M.

Magnesium binding to the bacterial chemotaxis protein CheY results in large conformational changes involving its functional surface.

J. Mol. Biol. 238, 489-495. (1994). KEY: A

Muñoz, V., Lopez, E. & Serrano, L.

Kinetic characterization of the chemotactic protein from E. coli CheY. Kinetic analysis of the inverse hydrophobic effect.

Biochemistry 33, 5858-5866. (1994). KEY: A

Muñoz, V. & Serrano, L.

Elucidating the folding problem of helical peptides using empirical parameters.

Nature: Struct. Biol. 1, 399-409. (1994). KEY: A

Blanco, F., Rivas, G. & Serrano, L.

A short linear peptide that folds into a native stable  $\beta$ -hairpin in aqueous solution".

Nature Struct. Biol. 1, 399-409. (1994).

Viguera, A.R., Arrondo, J.L.R., Musacchio, Andrea., Saraste, M. & Serrano, L. Characterization of the interaction of natural proline-rich peptides with five different SH3 domains.

Biochemistry 33, 10925. (1994). KEY: A

Muñoz, V. & Serrano, L.

Intrinsic secondary structure propensities of the amino acids, using statistical phi-psi matrices. Comparison with experimental scales.

Protein Struct. Funct. and Genetics, 20, 4. (1994). KEY: A

Jimenez, M. A., Muñoz, V., Rico, M. & Serrano, L.

Helix stop and start signals in peptides and proteins: The capping box does not necessarily prevent helix elongation.

J. Mol. Biol. 242, 487-496. (1994). KEY: A

Muñoz, V. & Serrano, L.

Elucidating the folding problem of  $\beta$ -helical peptides using empirical parameters, II. Helix macrodipole effects and rational modification of the helical content of natural peptides.

J. Mol. Biol. 245, 275-296. (1994). KEY: A

Muñoz, V. & Serrano, L.

Elucidating the folding problem of  $\beta$ -helical peptides using empirical parameters III: Temperature and pH dependence

J. Mol. Biol. 245, 297-308. (1994) KEY: A

- Pisabarro, M.T., Ortiz, A.R., Viguera, A.R. Gago, F. & Serrano, L.  
Molecular modeling of the interaction of prolylproline-based peptides with the Abl-SH3 domain: rational modification of the interaction.  
Protein Engineering 7, 1455. (1994). KEY: A
- Pisabarro, M.T., Ortiz, A.R., Serrano, L. & Wade, R.  
Homology modeling of the Abl-SH3 domain.  
PROTEINS; Struct. and Function. 20, 203 . (1994). KEY: A
- Santoró, J., Bruix, M., Pascual, J., Lopez, E., Serrano, L & Rico. M.  
Three dimensional structure of chemotactic CheY protein in aqueous solution by nuclear magnetic resonance methods.  
J. Mol. Biol. 247, 717-725. (1995). KEY: A
- Muñoz, V., Jimenez, M.A. Rico, M. & Serrano, L.  
Structural analysis of peptides encompassing all the  $\alpha$ -helices of three  $\alpha$  parallel proteins: CheY, Flavodoxin and P21-ras: Implications for  $\alpha$ -helix stability and the folding of  $\alpha$  parallel proteins.  
J. Mol. Biol. 247, 648-669. (1995). KEY: A
- Cronet, F., Bellsollé, L., Majolero, M., Sander, C., Coll, M. & Serrano, L. Investigating the structural determinants of the p21-like triphosphate and Mg<sup>2+</sup> binding site.  
J. Mol. Biol. 249, 654-664. (1995). KEY: A
- Muñoz, V., Blanco, F. & Serrano, L.  
The "Hydrophobic-staple" motif. A role for loop-residues in  $\alpha$ -helix stability and protein folding.  
Nature Struct. Biol. 2, 380-385. (1995). KEY: A
- Lopez-Hernandez, E. & Serrano, L.  
Empirical Correlation for the Replacement of Ala by Gly: Importance of amino acid secondary intrinsic propensities.  
PROTEINS: Struct. and Function. 22, 340-349. (1995). KEY: A
- Blanco, F.J. & Serrano, L.  
Folding of protein G B1 domain studied by the conformational characterization of fragments comprising its secondary structure elements.  
Eur. J. Biochem. 230, 634-649. (1995). KEY: A
- Muñoz, V. & Serrano, L.  
Helix Design, Prediction and Stability.  
Current Opinion in Biotechnology. 6, 382-386. (1995) KEY: A.
- Viguera, A.R. & Serrano, L.  
Experimental analysis of the Schellman motif.  
J. Mol. Biol. 251, 150-160. (1995). KEY: A
- Muñoz, V. & Serrano, L.  
Intrinsic secondary structure propensities of the amino acids, using statistical  $\alpha$  matrices: comparison with the experimental scales.  
PROTEINS: Struct. Funct. and Genet. 20, 301-311. (1995). KEY: A
- Viguera, A.R. & Serrano, L.  
Side-chain interactions between sulfur-containing amino acids and Phe in  $\alpha$ -helices.  
Biochemistry. 34. 8771-8779. (1995).
- Viguera, A.R., Blanco, F. & Serrano, L.

The order of secondary structure elements does not determine the structure of a protein but does affect its folding kinetics.

J. Mol. Biol. 247, 670-681. (1995). KEY: A

Viguera, A.R., Jimenez, M.A., Rico, M. & Serrano, L.

Conformational analysis of peptides corresponding to  $\alpha$ -hairpins and a  $\beta$ -sheet, that represent the entire sequence of  $\alpha$ -spectrin SH3-domain.

J. Mol. Biol. 255, 507-521(1995). KEY: A

79) Villegas, V., Azuaga, A., Catusus, Ll., Reverter, D., Mateo, P.L., Aviles, F.X. & Serrano, L.

Evidence for a two-state transition in the folding process of the activation domain of human procarboxypeptidase A2.

Biochemistry 34, 8771. (1995). KEY: A

Serrano, L.

Comparison between the  $\alpha$  distribution of the amino acids in the protein database and NMR data indicates that amino acids have various  $\alpha$  propensities in the random-coil conformation.

J. Mol. Biol. 254, 322-333. (1995). KEY: A

Muñoz, V. & Serrano, L.

Analysis of  $i,i+5$  and  $i,i+8$  hydrophobic interactions in a helical model peptide bearing the hydrophobic staple motif.

Biochemistry 34, 15301-15306. (1995). KEY: A

Muñoz, V., Blanco, F. & Serrano, L.

The distribution of  $\alpha$ -helix propensity along the polypeptide chain is not conserved in proteins from the same family.

Prot. Sci. 4, 1577-1586. (1995). KEY: A

Villegas, V., Viguera, A.R., Aviles, F.X. & Serrano, L.

Stabilisation of proteins by rational design of  $\alpha$ -helix stability using helix/coil transition theory.

Folding & Design, 1,29-34. (1996). KEY: A

Ramirez-Alvarado, M., Blanco, F.J. & Serrano, L.

De novo design and structural analysis of a model  $\alpha$ -hairpin peptide system.

Nat. Struct. Biol. "3, 604-612. (1996). KEY: A

Lopez-Hernandez, E. & Serrano, L.

Structure of the transition state for folding of the 129aa protein, CheY, resembles that of a smaller protein, CI-2.

Folding & Design, 1, 43-55. (1996). KEY: A

Bellsolell, L., Cronet, P., Majolero, M., Serrano, L. & Coll, M.

The Three-dimensional Structure of Two Mutants of the Signal Transduction Protein CheY Suggest its Molecular Activation Mechanism.

J. Mol. Biol. 257, 116-128. (1996). KEY: A

Muñoz, V., Cronet, P., López-Hernández, E. & Serrano, L.

Analysis of the Effect of Local Interactions in Protein Stability.

Folding & Design 1, 167-178. (1996). KEY: A

Arrondo, J.L., Blanco, F.J., Serrano, L. & Goñi, F.M.

Infrared evidence of a  $\alpha$ -hairpin peptide structure in solution.

FEBS 384, 35-37. (1996). KEY: A

- Pisabarro, M. T. & Serrano, L.  
Rational design of specific high affinity ligands for the Abl-SH3 domain.  
*Biochemistry* 35, 10634-10640. (1996). KEY: A
- Muñoz, V. & Serrano, L.  
Local vs non-local interactions in protein folding and stability. An experimentalist point of view.  
*Folding & Design*. 1, R71-R77. (1996). KEY: A
- Viguera, A.R. Wilmanns, M. & Serrano, L.  
Different folding transition states could result in the some native structure.  
*Nat. Struct. Biol.* 3, 874-880. (1996). KEY: A
- Viguera, A.R., Virtudes, V., Aviles, F.X. & Serrano, L.  
Favourable native-like helical local interactions can accelerate protein folding.  
*Folding & Design*, 2, 23-33. (1996). KEY: A
- López-Hernández, E., Cronet, P., Serrano, L. & Muñoz, V.  
Folding kinetics of CheY mutants with enhanced native  $\alpha$ -helix propensities.  
*J. Mol. Biol.* 266, 610-620. (1997). KEY: A
- Muñoz, V. & Serrano, L.  
Development of the Multiple Sequence Approximation within the AGADIR Model of  $\alpha$ -Helix Formation.  
Comparison with Zimm-Bragg and Lifson-Roig Formalisms.  
*Biopolymers* 41, 495-509. (1997). KEY: A
- Bruix, M, Muñoz, V., Campos-Olivas, R, del Bosque, J.R., Serrano, L. and Rico L. Characterisation of the isolated CheY C-terminal fragment (79-129).  
Exploring the structure-stability folding relationship of the  $\alpha$  parallel protein CheY.  
*Eur. J. of Biochem.* 243, 384-392(1997). KEY: A
- Blanco, F.J., Ortiz, A.R. & Serrano, L.  
1H and 15N-NMR assignment and solution structure of the SH3 domain of spectrin. Comparison with the crystal structure.  
*J. of Biomol. NMR.* 9, 347-357.. (1997) KEY: A
- Blanco, F.J., Ortiz, A.R. & Serrano, L.  
Role of a non-native interaction in the folding of protein G B1 domain as inferred from the conformational analysis of the  $\alpha$ -helix fragment.  
*Folding & Design*. 2, 123-133 (1997). KEY: A
- Ramirez-Alvarado, M., Serrano, L. & Blanco, F.J.  
Conformational analysis of peptides corresponding to all the secondary structure elements of protein L B1 domain: Secondary structure propensities are not conserved in proteins with the same fold.  
*Protein Sci.* 6, 1-13. (1997). KEY: A
- Prieto, J., Wilmanns, M., Jimenez, M.A., Rico, M. & Serrano, L.  
Non-native interactions in protein folding and stability: Introducing a helical tendency in the all  $\alpha$ -sheet  $\alpha$ -spectrin SH3 domain.  
*J. Mol. Biol.* 268, 760-778. (1997). KEY: A
- Prieto, J. & Serrano, L.  
C-capping and Helix stability: The Pro C-capping motif.  
*J. Mol. Biol.* 274, 276-288. (1997). KEY: A
- Viguera, A.R. & Serrano, L.

Loop length, intramolecular diffusion and protein folding.  
Nat. Struct. Biol. 4, 939-946". (1997) KEY: A

Ramírez-Alvarado, M., Blanco, F.J, Niemann, H. & Serrano, L  
Role of \_\_turn residues in \_\_hairpin formation and stability.  
J. Mol. Biol. 273, 898-912. (1997). KEY: A

Lacroix E, Bruix M, Lopez-Hernandez E, Serrano L, & Rico M  
Amide hydrogen exchange and internal dynamics in the chemotactic protein CheY from Escherichia coli.  
J Mol Biol 271,472-487. (1997). KEY: A

Blanco F, Ramirez-Alvarado M , Serrano L.  
Formation and stability of beta-hairpin structures in polypeptides.  
Curr Opin Struct Biol, 8, 107-11. (1998a). KEY: A

Blanco FJ, Serrano L , Forman-Kay JD.  
High Populations of Non-native Structures in the Denatured State are Compatible with the Formation of  
the Native Folded State.  
J Mol Biol, 284, 1153-1164. (1998b). KEY: A

Kortemme T, Ramirez-Alvarado M , Serrano L.  
Design of a 20-amino acid, three-stranded beta-sheet protein.  
Science, 281, 253-6. (1998). KEY: A

Lacroix E, Viguera AR , Serrano L.  
Elucidating the Folding Problem of alpha-Helices: Local Motifs, Long- range Electrostatics, Ionic-strength  
Dependence and Prediction of NMR Parameters.  
J Mol Biol, 284, 173-191. (1998a). KEY: A

Lacroix E, Viguera AR , Serrano L.  
Reading protein sequences backwards.  
Fold Des, 3, 79-85. (1998b). KEY: A

Martinez JC, Pisabarro MT , Serrano L.  
Obligatory steps in protein folding and the conformational diversity of the transition state [see comments].  
Nat Struct Biol, 5, 721-9. (1998). KEY: A

Petukhov M, Munoz V, Yumoto N, Yoshikawa S , Serrano L.  
Position dependence of non-polar amino acid intrinsic helical propensities.  
J Mol Biol, 278, 279-89. (1998). KEY: A

Pisabarro MT, Serrano L , Wilmanns M.  
Crystal structure of the abl-SH3 domain complexed with a designed high- affinity peptide ligand:  
implications for SH3-ligand interactions.  
J Mol Biol, 281, 513-21. (1998). KEY: A

Ramirez-Alvarado M, Daragan VA, Serrano L , Mayo KH.  
Motional dynamics of residues in a beta-hairpin peptide measured by <sup>13</sup>C- NMR relaxation.  
Protein Sci, 7, 720-9. (1998). KEY: A

Vazquez MI, Rivas G, Cregut D, Serrano L , Esteban M.  
The vaccinia virus 14-kilodalton (A27L) fusion protein forms a triple coiled-coil structure and interacts with  
the 21-kilodalton (A17L) virus membrane protein through a C-terminal alpha-helix [In Process Citation].  
J Virol, 72, 10126-37. (1998). KEY: A

Villegas V, Martinez JC, Aviles FX, Serrano L.  
Structure of the transition state in the folding process of human procarboxypeptidase A2 activation domain  
[In Process Citation].  
J Mol Biol, 283, 1027-36. (1998). KEY: A

Wilcock D, Pisabarro MT, Lopez-Hernandez E, Serrano L, Coll M.  
Structure analysis of two CheY mutants: importance of the hydrogen-bond contribution to protein stability  
[In Process Citation].  
Acta Crystallogr D Biol Crystallogr, 54, 378-85. (1998). KEY: A

Blanco, F. J., Angrand, I. & Serrano, L.  
Exploring the conformational properties of the sequence space between two proteins with different folds:  
an experimental study.  
J Mol Biol 285(2), 741-53. (1999). KEY: A

Cregut, D., Civera, C., Macias, M. J., Wallon, G. & Serrano, L.  
A tale of two secondary structure elements: when a beta-hairpin becomes an alpha-helix.  
J Mol Biol 292(2), 389-401. (1999). KEY: A

Cregut, D. & Serrano, L.  
Molecular dynamics as a tool to detect protein foldability. A mutant of domain B1 of protein G with non-  
native secondary structure propensities.  
Protein Sci 8(2), 271-82. (1999). KEY: A

Domingues, H., Cregut, D., Sebald, W., Oschkinat, H. & Serrano, L.  
Rational design of a GCN4-derived mimetic of interleukin-4.  
Nat Struct Biol 6(7), 652-6. (1999). KEY: A

Filimonov, V. V., Azuaga, A. I., Viguera, A. R., Serrano, L. & Mateo, P. L.  
A thermodynamic analysis of a family of small globular proteins: SH3 domains.  
Biophys Chem 77(2-3), 195-208. (1999). KEY: A

Lacroix, E., Kortemme, T., Lopez de la Paz, M. & Serrano, L.  
The design of linear peptides that fold as monomeric beta-sheet structures.  
Curr Opin Struct Biol 9(4), 487-93. (1999). KEY: A

Martinez, J. C. & Serrano, L.  
The folding transition state between SH3 domains is conformationally restricted and evolutionarily  
conserved.  
Nat Struct Biol 6(11), 1010-1016. (1999). KEY: A

Martinez, J. C., Viguera, A. R., Berisio, R., Wilmanns, M., Mateo, P. L., Filimonov, V. V. & Serrano, L.  
Thermodynamic analysis of alpha-spectrin SH3 and two of its circular permutants with different loop  
lengths: discerning the reasons for rapid folding in proteins.  
Biochemistry 38(2), 549-59. (1999). KEY: A

Petukhov, M., Cregut, D., Soares, C. M. & Serrano, L.  
Local water bridges and protein conformational stability [In Process Citation].  
Protein Sci 8(10), 1982-9. (1999a). KEY: A

Petukhov, M., Uegaki, K., Yumoto, N., Yoshikawa, S. & Serrano, L.  
Position dependence of amino acid intrinsic helical propensities II: non-charged polar residues: Ser, Thr,  
Asn, and Gln [In Process Citation].  
Protein Sci 8(10), 2144-50. (1999b). KEY: A

- Ramirez-Alvarado, M., Kortemme, T., Blanco, F. J. & Serrano, L.  
Beta-hairpin and beta-sheet formation in designed linear peptides.  
*Bioorg Med Chem* 7(1), 93-103. (1999). KEY: A
- Sola, M., Gomis-Ruth, F. X., Serrano, L., Gonzalez, A. & Coll, M.  
Three-dimensional crystal structure of the transcription factor PhoB receiver domain.  
*J Mol Biol* 285(2), 675-87. (1999). KEY: A
- Viguera, A. R. & Serrano, L.  
Stable proline box motif at the N-terminal end of alpha-helices [In Process Citation].  
*Protein Sci* 8(9), 1733-42. (1999). KEY: A
- Wallon, G., Rappsilber, J., Mann, M. & Serrano, L.  
Model for stathmin/OP18 binding to tubulin.  
*Embo J* 19(2), 213-22. (2000). KEY: A
- Becskei, A. & Serrano, L.  
Nature. Engineering stability in gene networks by autoregulation.  
*Nature* 405, 590-593. (2000). KEY: A
- Kortemme, T., Kelly, M. J., Kay, L. E., Forman-Kay, J. & Serrano, L.  
Similarities between the spectrin SH3 domain denatured state and its folding transition state.  
*J Mol Biol* 297(5), 1217-29. (2000). KEY: A
- Serrano, L.  
The relationship between sequence and structure in elementary folding units.  
*Adv Protein Chem* 53, 49-85. (2000). KEY: A
- Taddei, N., Chiti, F., Fiaschi, T., Bucciantini, M., Capanni, C., Stefani, M., Serrano, L., Dobson, C. M. & Ramponi, G.  
Stabilisation of alpha-helices by site-directed mutagenesis reveals the importance of secondary structure in the transition state for acylphosphatase folding [In Process Citation].  
*J Mol Biol* 300(3), 633-47. (2000). KEY: A
- Fernandez, A. M., Villegas, V., Martinez, J. C., Van Nuland, N. A., Conejero-Lara, F., Aviles, F. X., Serrano, L., Filimonov, V. V. & Mateo, P. L.  
Thermodynamic analysis of helix-engineered forms of the activation domain of human procarboxypeptidase A2 [In Process Citation].  
*Eur J Biochem* 267(19), 5891-9. (2000). KEY: A
- Villegas, V., Zurdo, J., Filimonov, V. V., Aviles, F. X., Dobson, C. M. & Serrano, L. Protein engineering as a strategy to avoid formation of amyloid fibrils [In Process Citation]. *Protein Sci* 9(9), 1700-8. (2000).
- Guerois, R. & Serrano, L.  
The SH3-fold family: experimental evidence and prediction of variations in the folding pathways [In Process Citation].  
*J Mol Biol* 304(5), 967-82. (2000). KEY: A
- Idiyatullin, D., Krushelnitsky, A., Nesmelova, I., Blanco, F., Daragan, V. A., Serrano, L. & Mayo, K. H.  
Internal motional amplitudes and correlated bond rotations in an alpha-helical peptide derived from 13C and 15N NMR relaxation.[In Process Citation].  
*Protein Sci* 9(11), 2118-27. (2000). KEY: A
- Sola, M., Lopez-Hernandez, E., Cronet, P., Lacroix, E., Serrano, L., Coll, M. & Parraga, A.

Towards understanding a molecular switch mechanism: thermodynamic and crystallographic studies of the signal transduction protein cheY [In Process Citation].  
J Mol Biol 303(2), 213-25. (2000). KEY: A

Westerholm-Parvinen, A., Vernos, I. & Serrano, L.  
Kinesin subfamily UNC104 contains a FHA domain: boundaries and physicochemical characterization.  
FEBS Lett 486(3), 285-290 (2000). KEY: A

Filimonov, V.V, Azuaga, A.I., Viguera, A.R., Serrano, L. & Mateo, P.L.  
A thermodynamic analysis of a family of small globular proteins : SH3 domains. (2000). KEY: A

Berisio, R. R., Viguera, A. A., Serrano, L. L. & Wilmanns, M. M.  
Atomic resolution structure of a mutant of the spectrin SH3 domain. Acta Crystallogr D  
Biol Crystallogr 57(Pt 2), 337-340. (2001). KEY: A

Guerois, R. & Serrano, L.  
Protein design based on folding models.  
Curr Opin Struct Biol 11(1), 101-106. (2001). KEY: A

Fisinger, S., L. Serrano, et al.  
"Computational estimation of specific side chain interaction energies in alpha helices."  
Protein Sci 10(4): 809-18. (2001). KEY: A

Garcia, P., L. Serrano, et al.  
"NMR and SAXS characterization of the denatured state of the chemotactic protein CheY: implications for protein folding initiation."  
Protein Sci 10(6): 1100-12. (2001). KEY: A

Viguera, A. R. and L. Serrano  
"Bergerac-SH3: "frustration" induced by stabilizing the folding nucleus."  
J Mol Biol 311(2): 357-71. (2001). KEY: A

Guerois, R. and L. Serrano  
"The SH3-fold family: experimental evidence and prediction of variations in the folding pathways."  
J Mol Biol 304(5): 967-82.(2000). KEY: A

150) Guerois, R. and L. Serrano  
"Protein design based on folding models."  
Curr Opin Struct Biol 11(1): 101-6. (2001).. KEY: A

Garcia, P., L. Serrano, et al.  
"An NMR view of the folding process of a CheY mutant at the residue level."  
Structure (Camb) 10(9): 1173-1185. (2002). KEY: A

Viguera, A. R. and L. Serrano  
"Hydrogen-exchange stability analysis of Bergerac-Src homology 3 variants allows the characterization of a folding intermediate in equilibrium."  
Proc Natl Acad Sci U S A 100(10): 5730-5. (2003). KEY: A

de la Paz, M. L. and L. Serrano  
"Sequence determinants of amyloid fibril formation."  
Proc Natl Acad Sci U S A 101(1): 87-92. (2004). KEY: A

Kiel, C., L. Serrano, et al.

"A detailed thermodynamic analysis of ras/effector complex interfaces."  
J Mol Biol 340(5): 1039-58. (2004). KEY: A

Ander, M., Beltrao, P., Di Ventura, B., Ferkinghoff-Borg, J., Foglierini, M., Kaplan, A., Lemerle, C., Tomás-Oliveira, I. & Serrano, L.  
SmartCell, a framework to simulate cellular processes that combines stochastic approximation with diffusion and localisation: analysis of simple gene networks.  
Systems Biology. Vol.1 129-139. (2004). KEY: CB

Beltrao, P. and L. Serrano  
"Comparative Genomics and Disorder Prediction Identify Biologically Relevant SH3 Protein Interactions."  
PLoS Comput Biol 1(3): e26. (2005). KEY: A

Bork, P. and L. Serrano  
"Towards cellular systems in 4D."  
Cell 121(4): 507-9. (2005). KEY: A

